

TOWING

Follow These Steps to Determine the Pin Box Replacement Model:

1. Look for the white sticker with a 6 or 10-digit part number on it.

NOTE: This sticker is found on either the inside left or right side of the pin box (Fig. 1).

- A. If the part number is visible, find the replacement part number in the appendices.
 - B. If the sticker is missing or the part number is not legible, continue with the following steps.
2. What is the gross vehicle weight rating (GVWR) of the unit?
 3. Visually compare illustration to the mounting wing on the 5th wheel.
 4. Measure length of box (front row of bolts to center of kingpin, Fig. 1 dimension B).
 5. Measure bolt row width (Fig. 1 dimension A).
 6. Measure box width (Fig. 1 dimension C).

NOTE: Write in the measurements of the Pin Box in the Actual Dimensions chart (Fig. 2).

7. Compare the actual dimensions to the measurements in the Series Chart (Fig. 3) the use the appendices that follow to identify a replacement.

⚠ WARNING

Replacing your OEM pin box with an aftermarket pin box in which the distance from the front row of mounting bolts to the kingpin (see Fig. 1B) exceeds the OEM pin box specifications may result in denial of warranty coverage.




Fig.1

Fig. 2 - Actual Dimensions		
A	B	C

⚠ CAUTION

Ratings for 5th Wheels do not change unless the retail customer attaches a Pin Box that is rated lower than the GVWR listed on the towable's federal placard. This is strongly discouraged and not recommended by Lippert.


TOWING

Fig. 3 - Series Chart

Appendix	Series	Bolt Pattern	A	B	C
1	1621	2-row	7 7/8"	17 3/4"	12"
2	1116	3-row	8 3/4"	14 5/8"	12 1/2"
3	0719	2-row	7 7/8"	12 3/4"	11 7/8"
4	1716	3-row	8 3/4"	20 3/8"	12 1/2"
5	Turning Point	4-row	7 1/2"	13 1/2"	12"
6	Rhino	2-row	7 1/2"	13 1/2"	12"

Appendix 1 - 1621

Model	Part Number	Max Pin Weight	Weight Capacity
L05	1387883	4200	21,000
L05	1191191	3100	15,500
L05	1191151	3600	18,000
Rota-Flex™	328330	4500	18,000
Rota-Flex™	328329	5250	21,000
Flex Air®	328484	4500	18,000
Flex Air®	328492	4500	18,000
Flex Air®	369535	5250	21,000
Air Ride™	155925	5250	21,000
Air Ride™	158778	5250	21,000



Appendix 1 - L05



Appendix 1 - Rota-Flex



Appendix 1 - Flex Air



Appendix 1 - Air Ride

TOWING

Appendix 2 - 1116

Model	Part Number	Max Pin Weight	Weight Capacity
Rota-Flex	176440	4750	19,000
Air Ride	155943	5250	21,000



Appendix 2 - Rota-Flex



Appendix 2 - Air Ride

Appendix 3 - 0719


Model	Part Number	Max Pin Weight	Weight Capacity
M15 Air Ride	179879	4500	18,000
M15	256761	5750	23,000



Appendix 3 - Air Ride

Appendix 4 - 1716

Model	Part Number	Max Pin Weight	Weight Capacity
L07	1324791	3100	15,500



Appendix 4 - L07

Appendix 5 - Turning Point

Model	Part Number	Max Pin Weight	Weight Capacity
Turning Point	2020131232	3200	16,000



Appendix 5 - Turning Point


TOWING

Appendix 6 - Rhino

Model	Part Number	Max Pin Weight	Weight Capacity
Rhino Box	2020044233	5250	21,000
Rota-Flex	807712	6000	24,000
Helux	2024044568	2600	18,000
Helux	2024044567	2950	18,000
Helux	2024044569	3500	18,000
Helux	2024122233	4000	24,000
Helux	2024044570	4850	24,000
Helux	2024044571	5400	24,000
Helux	2024044572	6000	24,000



Appendix 6 - Rhino Box



Appendix 6 - Rota-Flex



Appendix 6 - Helux